

Work Order ID 130060

130060

Page 1

February-23-15 10:39:47 AM

Item ID: D3535-13 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Wearplate Fwd
 Start Date: 2/23/15 Start Qty: 6.00 *6* Cust Item ID:
 Required Date: 2/23/15 Req'd Qty: 6.00 *6* Customer:
 Reference:

Approvals: Process Plan: MCS Date: 15-02-26 Tooling: 1 Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3535	Rev B								
100	FLOW WATER JET	0.00							
100									
Waterjet	Memo	0.00							
FLOW CNC Waterjet	1-Cut as per Dwg D3535 Dwg Rev: <u>B</u> Prog Rev: <u>B</u> 2- Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.00							
Quality Control									
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.00							
Quality Control									

DAS
9-89
9-89
MAR 05 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence
		☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge
		☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other

Work Order ID 130060

February-23-15 10:39:47 AM

130060

Page 2

Item ID: D3535-13 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Wearplate Fwd
 Start Date: 2/23/15 Start Qty: 6.00 ***6*** Cust Item ID:
 Required Date: 2/23/15 Req'd Qty: 6.00 ***6*** Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	NC BRAKE	0.00							
130						6x	DAS 28 9-89	MAR 10 2015	
Brake NC	Memo	0.00							
Brake NC	1-Form on Brake as per Dwg D3535 using Jigs DT8261and DT83262-Form joggle as per Dwg D3535 using Jig DT8158Identify as D3535-13								
140	QC5- Inspect part completeness to step on W/O	0.00							
140									DAS 38 9-89
QC	Memo	0.00							
Quality Control									MAR 10 2015
150	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3	0.00							
150									
Powdercoat	Memo	0.00							
Powder Coating	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3 M 128564 START TIME: 11.10 FINISH TIME: 11.40 OVEN TEMPERATURE: 300								
						6	φ 15-3-12	DAS 34 9-89	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Work Order ID 130060

130060

Page 3

February-23-15 10:39:47 AM

Item ID: D3535-13 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Wearplate Fwd
 Start Date: 2/23/15 Start Qty: 6.00 *6* Cust Item ID:
 Required Date: 2/23/15 Req'd Qty: 6.00 *6* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC3- Inspect Part Finish	0.00							DAS 38 8-89
160						(6)			
QC	Memo	0.00							
Quality Control									MAR 18 2015
170	Identify as per dwg & Stock Location: <u>FP-002</u>	0.00							
170									
Packaging	Memo	0.00							
Packaging									x6 of all 15/03/18
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.00							
Quality Control									MCS 15-03-18

MS-3-18

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

Picklist Print

February-23-15 10:39:47 AM

Page 1

Work Order ID: 130060

130060

Parent Item: D3535-13

D3535-13

Parent Item Name: Wearplate Fwd

Start Date: 2/23/15

Required Date: 2/23/15

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP Rev:A New Issue 07-02-15 JLM
IPP Rev:B As per Rev B 07-08-31 JLM Verified By:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S20GA		Purchased	No			100	sf	159.8414	0.8505	5.371579			

M304S20GA

304/316 .040 Sheet

**

2/15/03/04

Location

Loc Qty

Loc Code

MAT020

159.8414

m130345

1.5139

m131060

158.3275

5.7291

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Crosstube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐															
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐															
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐															
Large Fab ☐	Composite ☐	Supplier ☐																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Inspection Strip in Tube ☐ Marks/Chatter ☐ Turning Sequence ☐ Wave/Twist in Tube	General ☐ Bend ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Burrs ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Drawing ☐ Drill Holes ☐ Finish ☐ Fit/Function	☐ Folio/Program ☐ Grain ☐ Hardware ☐ Inspection Incomplete/Unqualified ☐ Instructions Incomplete/Unclear ☐ Misaligned/off center ☐ Mislabeled ☐ Misread ☐ Off-set ☐ Out of Calibration ☐ Out of Sequence	☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Positioned Wrong ☐ Power Loss/Surge ☐ Pressure/Forced ☐ Set-up ☐ Temperature/Cure ☐ Weld ☐ Wrong Stock Pulled ☐ Other
--	--	---	--

DART AEROSPACE LTD		Work Order:	130060
Description: Wearshoe		Part Number:	D3535-13
Inspection Dwg: D3535 Rev: B		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
1.885	+/-0.010	1.886	/		V=De-02	
2.000	+/-0.010	2.000	/		Tape	
5.650	+/-0.010	5.650	/			
9.150	+/-0.010	9.150	/			
14.066	+/-0.010	14.066	/			
18.983	+/-0.010	18.983	/			
23.900	+/-0.010	23.900	/			
27.400	+/-0.010	27.400	/			
29.400	+/-0.010	29.400	/			
32.900	+/-0.010	32.900	/			
Ø0.188	+0.005/-0.001	Ø.187	/			
20.00	+/-0.030	20.00	/			
14.00	+/-0.030	14.00	/			
8.00	+/-0.030	8.00	/			
5.00	+/-0.030	5.00	/			
0.300	+/-0.010	.300	/			
0.300	+/-0.010	.305	/			
0.038	+/-0.010	.035	/			

Measured by:	De	Audited by:	DAS 38	Prototype Approval:	N/A
Date:	15/03/04	Date:	9-89 MAR 05 2015	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	08.04.15	New Issue	KJ/DD	




RELEASED
07.04.24

DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
TITLE	WEARSHOE	SHEET 1 OF 7		
SCALE	1:10			
A	06.10.25	NEW ISSUE		
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC		


130060 MLS
1502-26




D3535-11F FLAT PATTERN



D3535-11 BEND DETAIL



D3535-13F FLAT PATTERN



D3535-13 BEND DETAIL

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



RELEASED


07.04.24 #

DESIGN	CB	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	#	APPROVED	#	PORT HADLOCK, WA
DATE	07.04.17	TITLE	D3535	WEARSHOE
		SCALE	1:10	
		SHEET 2 OF 7		
		REV. B		




D3535-15F FLAT PATTERN


4.50 TO BEND
LINE (ON FLAT
PATTERN)



D3535-15 BEND DETAIL



D3535-21F FLAT PATTERN



D3535-21 BEND DETAIL

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 3 OF 7
		SCALE	1:10	

RELEASED


07-04-24




D3535-23F FLAT PATTERN



D3535-23 BEND DETAIL



D3535-25F FLAT PATTERN



D3535-25 BEND DETAIL


NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART

RELEASED
07.04.24


DESIGN CB	DRAWN BY PH	DART AEROSPACE USA, INC. PORT HADLOCK, WA
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3535
DATE 07.04.17	TITLE WEARSHOE	REV. B SHEET 4 OF 7
	SCALE 1:10	



D3535-31F FLAT PATTERN



D3535-31 BEND DETAIL



D3535-33F FLAT PATTERN



D3535-33 BEND DETAIL


NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION





RELEASED
07.04.17


DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 5 OF 7
		SCALE	1:10	



D3535-35F FLAT PATTERN



D3535-37F FLAT PATTERN



NOTES





- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK)
(REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT $\bar{C}$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

DART


RELEASED

07.04.24

DESIGN CB	DRAWN BY PH	DART AEROSPACE USA, INC. PORT HADLOCK, WA
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3535
DATE 07.04.17	TITLE WEARSHOE	REV. B SHEET 6 OF 7
	SCALE 1:10	

**D3535-39F FLAT PATTERN****D3535-39 BEND DETAIL****D3535-41F FLAT PATTERN****D3535-41 BEND DETAIL****NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK)
(REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



07.04.24



THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.